

**डायफेन्थुरॉन 47.8% एस.सी.**

( बहुउपयोगी अंतर्प्रवाही कीटनाशक )

डायफेन्थुरॉन 47.8% एस.सी. एक बहुउपयोगी अंतर्प्रवाह रहित कीटनाशक है जो कीटों की तीव्र उदरीय तथा स्पर्शी क्रियाशीलता से नियंत्रण करता है इसके सिफारिश कपास में लगने वाले सफेद मक्खी, माहो, चुर्दा और तेला की रोकथाम के लिए की जाती है ये कीटनाशक कार्यशीलता के वर्ग 12ए के अंतर्गत आता है

**उपयोग**

फसल	कीट के नाम	प्रति हैक्टेयर मात्रा		पानी की मात्रा (लीटर)	अन्तिम छिड़काव तथा फसल काटने के बीच अन्तराल दिन	पुनः प्रवेश की अवधि प्रत्येक छिड़काव के बाद (घंटे)
		स. तत्व (ग्राम)	संरचना (मि. ली.)			
कपास	सफेद मक्खी , माहो चुरदा, तेला	239	500	500	30	-

**उपयोग के लिए निर्देश**

इस्तेमाल से पहले कंटेनर को अच्छी तरह हिला लें। उत्पाद की लिखित मात्रा लिजिए और उसे थोड़े से पानी के साथ अच्छी तरह से मिलाइए। निर्दिष्ट मात्रा को बाकी पानी में अच्छी तरह हिलाकर मिला लिजिए तथा किसी भी योग्य स्प्रेयर से पूरी फसल में छिड़काव किजिए। जब रस चूसने वाले कीट पहली बार दिखाई दें तब निर्देश के अनुसार इस कीटनाशक का इस्तेमाल करें। जरूरत लगे तो वापस छिड़काव करें। कीटनाशक का छिड़काव नैपसेक स्प्रेयर अथवा अन्य उपयुक्त स्प्रेयर के द्वारा पानी की पूरी मात्रा के साथ फसल पर अच्छी तरह छिड़काव करें।

प्रतिरोधक प्रबन्धन:

प्रतिरोध को विकसित न होने देने के लिए इस उत्पाद का प्रयोग अलग अलग क्रिया विधि वाले सिफारिश किये गये उत्पाद के साथ बदल बदल कर प्रतिरोधक सिद्धान्तों के अनुसार प्रयोग करने की अनुशांसा की जाती है।

**प्रयोग का समय**

प्रथम छिड़काव कीट का प्रकोप शुरू होने एवं आर्थिक हानि के स्तर पर (ई.टी.एल.) की अवस्था पर पहुँचने पर करें और इसके उपरांत २ - २ छिड़काव कीट की प्रकोपता के आधार पर २० - २५ दिन के अन्तर्गत पर पुनः करें।

**प्रयोगकर्ताओं के लिए सावधानियां**

स्प्रे तयार करने के लिए खाना पकाने बर्तनों का इस्तेमाल मत किजिए। स्प्रे के घोल को हिलाने के लिए लकड़ी का उपयोग करें। त्वचा से स्पर्श से बचाव के लिए दस्तानों पहने। सांस के साथ अन्दर लेने और आंखों से सम्पर्क से भी बचें। स्प्रे करते समय सुरक्षात्मक कपड़े चश्मा, बटूस आदि पहने और सुनिश्चित करें कि स्प्रे की फुहार के सामने न आए। नाजल्स में मुँह से फूक न मारे, उठाते, रखते या प्रयोग करते समय खाना, पीना या धूमपान नहीं करना चाहिए। बाकी बचे स्प्रे घोल का भण्डारण न करे। प्रति दिन प्रयोग के बाद स्प्रेयर, बाल्टियों तथा अन्य। बर्तनों को पानी से धोएं। कार्य समाप्त होने के बाद हाथों को साबून और ढेर सारी पानी से धोड़िए। दूषित कपड़ों को साफ करें। बची हुई दवा स्प्रे सामग्री को झरनों, तालाबों, नहरों आदी में बहाकर या स्पेटयर्स, दूषित बाल्टियों आदी को उनमें धोकर उनको दूषित मत किजिए। गिरे हुए पदार्थ को दोबारा इस्तेमाल न करें। यदि विष चढने का कोई भी चिह्न दिखाई दें तो तुरंत डॉक्टर से सम्पर्क करें।

यह उत्पाद मछलियों के लिए, क्रस्टेशियन और अन्य जीवों के लिए विषाक्त है, इस उत्पाद का प्रयोग उन सथनों पर वीजत है जहाँ पर मछली पालन किया जाता हो। सतह पनी को सीधा छिड़काव से तथा छिड़काव की पुहार से दूषित न हो दें। मिट्टी को, स्थिर एवं बहते पानी को बचे हुए अवशेष से दूषित न करें।

मधुमक्खियों के लिए विषाक्तित है, इस कीटनाशक को फसलो पर दिन में मक्खियों के सक्रिय विचरण करने के समय इस्तेमाल नहीं करें।

**विष के लक्षण**

**Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".**

विषबाधा क लक्षणों मे उदासीन व्यवहार, प्रोस्ट्रे शन, सुस्ती , रोंयें खडे. होना , सिर दर्द, चक्कचर आना, डरना, मिचलाना, उल्टी आना, धुंधला दिखाई देना, पसीना आना, अत्यधिक आँसू आना एवं मुंह से लार गिरना जैसे लक्षण हो सकते हैं।

### प्राथमिक चिकित्सा

प्रभावित व्यक्ति को प्रदूषित जगह से हवादार कमरों या खुली हवा में ले जाए और तापमान से बचाए। विषबाधा के लक्षण दिखाई देने पर: तुरन्त चिकित्सक को बुलाइए। त्वचा में लगने पर प्रदूषित कपड़ों को उतार दें तथा शरीर प्रभावित हिस्से का साबून और पानी से अच्छीक तरह धोएं। आँखों में चले जाने पर आँखों को कुछ देर साफ पानी से अच्छीव तरह छपछपाइए । निगल जाने पर: पानी में मेडिसिनल चारकोल की काफी मात्रा घोलकर बार बार दें। सूचना: कभी भी मुर्छित मरीज को मुंह से कुछ भी नहीं देना चाहिए। उल्टी कराने की कोशिश न करें।

### पौधविशाक्तता

### विष नाशक

कोई विशेष प्रतिविष नहीं। लक्षणों के अनुसार उपचार करें।

### खाली डिब्बों का निपटारा

1. पर्यावरण का प्रदूषण बचाने के लिए डिब्बों , बचा हुआ घोल/ पदार्थ मशीनों की धोवन और खाली डिब्बों का निपटारा सु रक्षित स्थान पर करें।
2. उपयोग किये गए डिब्बों/ पैकटों को वैसे ही बाहर नहीं छोड देना चाहिए। इस प्रकार उनका दुबारा उपयोग बचाया जा सकता है।
3. पैकटों/ डिब्बों को तोड-मोडकर आबादी से दूर जमीन में गाड देना चाहिए।

### संग्रहण की शर्तें

1. कीटनाशक के डिब्बों को अन्यत सामग्री विशेषकर खाने के सामान के संग्रहण के लिए उपयोग किए जा रहे कमरों या इमारतों से दूर अलग कमरों या इमारतों में अथवा अलग से ताला बन्द अलमारियों में रखना चाहिए।
2. कीटनाशक के संग्रहण हेतु उपयोग किये जाने वाले कमरे या इमारते मजबूत, सूखी प्रकाशित तथा हवादार होनी चाहिए तथा उनमें पर्याप्तत स्थान होना चाहिए ताकी वाष्पा से प्रदूषण न हो सके।
3. सीधे सूर्य के प्रकाश से दूर रखें।
4. बच्चों, अनाधिकृत लोगों एवं जानवरों से दूर रखें।

### रासायनिक संरचना :

डायफेन्थुरॉन स.त.	47.8 % भार/भार
ट्रस्टीयरयलफेनॉल पोलिइथाइलीन गलायकोल फास्फोरिक आसॅड, एस्टर (भिगोनेवाले तथा छितरानेवाले तत्व)	1.9 % भार/भार
२,२ - प्रोपाइलिन गलायकोल (एंटीफीज)	4.8 % भार/भार
पोलीडायमिथाइल सिलोग्जेन (एंटीफोमिंग एजॅट)	0.48 % भार/भार
पोलिसैकोराइडस डेरीवेटिव (सान्द्रित करने वाले तत्व)	0.09 % भार/भार
फोरमेलिडहाइड (३५ प्रतिशत सलूनन) (प्रीजरवेटीव)	0.09 % भार/भार
पानी (सौलवेन्ट)	पर्याप्त मात्रा %
<b>योग : १००.००० % भार/भार</b>	

### निर्माता

अंग्रेजी में लिखे गये अनुसार

**Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".**

उत्पादन परिसर:

अंग्रेजी में लिखे गये अनुसार

**Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".**

**DIAFENTHIURON 47.8% w/w SC****( Broad Spectrum Systemic Insecticide )**

Diafenthiuron 47.8% w/w SC, a broad spectrum non-systemic insecticide having contact and stomach activity is recommended for its use to control Aphids, Jassids, Thrips & Whiteflies in Cotton crop. Diafenthiuron belongs to group 12A of insecticide mode of action.

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosage/HA</b>		<b>Dilution in Water in water (liter)</b>	<b>Waiting Period between last spray to harvest days</b>	<b>Re-entry after each Application (In Hours)</b>
		<b>AI (gm)</b>	<b>Formulation (ml)</b>			
Cotton	Aphids, Jassids Thrips & Whiteflies	239	500	500	30	-

**Direction of Use**

Shake the container before use. Measure out required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer. Apply the insecticide when the incidence of sucking pests is first observed and repeat applications as necessary. Apply the insecticide with knapsack sprayer or any other relevant sprayer in sufficient quantity of water to ensure thorough coverage of the foliage.

**Insect Resistance Management (IRM)**

In order to avoid resistance development it is strongly recommended to use Diafenthiuron 47.8% w/w SC in rotation with other recommended products with a different mode of action, in line with insecticide Resistance Management principles. Use as per label and avoid using less than labeled dose.

**Time of Application**

Apply first spray as soon as pest infestation reaches Economic Threshold Level (ETL) and subsequently give 1-2 sprays at the interval of 10-15 days depending upon pest infestation.

**Precaution**

Do not use cooking utensils for preparing sprays. Use stick for stirring the spray solution. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eyes. Wear protective clothing, goggles and boots etc. while spraying and do not expose yourself to spray drift. Do not blow nozzles with mouth. Do not eat, drink or smoke while handling or applying the product. Do not store unused spray solution. Clean sprayers, buckets and other utensils with water daily after use. Wash hands with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. Do not contaminate streams, ponds waterways etc by discharging leftover spray materials or by cleaning sprayers, contaminated buckets etc. into them. Spilt product must not be re-used. In case of any sign of poisoning, immediately consult the doctor.

The product is toxic to fish, crustaceans and other aquatic organisms. The product should not be used in area where pisciculture is practiced. Avoid direct contamination of surface water and contamination caused by spray drift. Do not contaminate soil, stagnant or running water by disposal of waste.

Toxic to honey bees. Do not spray during active bee-foraging period of the day. As product may be toxic to honey bees.

**Symptoms Of Poisoning**

Poisoning may cause symptoms of subdued behavior, prostration, lethargy, piloerection, headache giddiness, vertigo, nausea, vomiting blurred vision, sweating, excessive lacrimation & salivation.

**First Aid**

Remove the affected person from the danger zone to a well-ventilated room or to fresh air, and protect from under cooling. IN CASE OF SUSPECTED POISONING: Immediately call a physician. IN CASE OF SKIN CONTACT: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. IN CASE OF EYE CONTACT: Rinse eyes with clean water for several minutes. IN CASE OF INGESTION Repeatedly administer medicinal charcoal in a large quantity of water. NOTE: Never give anything by mouth to an unconscious person. Do not induce vomiting.

**Phytotoxicity**

**Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".**

### **Antidote**

No specific antidote is known. Apply symptomatic therapy.

### **Disposal Of Used Container**

1. Packages or surplus materials and washings from the machines and containers should be disposed off in a safe manner as to prevent environmental pollution.
2. The used packages shall not be left outside to prevent their reuse.
3. Packages shall be broken and buried away from habitation

### **Storage Conditions**

1. The packages containing the insecticides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles of food or shall be kept in separate almira's under lock and key.
2. The rooms or premises meant for storing the insecticide shall be well built, dry, well lit and ventilated and of sufficient dimensions to avoid contamination with vapour.
3. Keep away from direct sunlight.
4. Store away from children unauthorized persons and animals.

### **Chemical Composition:**

---

Diafenthiuron a.i	47.8 % w/w
Tristyrylphenol polyethylene glycol phosphoric acid, ester (Wetting & Dispersing Agent)	1.9 % w/w
1,2-propylene glycol (Antifreeze)	4.8 % w/w
Polydimethylsiloxane (Antifoaming Agent)	0.48 % w/w
Polysaccharide derivative (Thickener)	0.09 % w/w
Formaldehyde (35% aqueous solution) (Preservative)	0.09 % w/w
Water (Solvent)	Q.S. %
<b>Total:</b>	<b>100.000% w/w</b>

---

### **Manufactured By:**

AQUARIUS AGRO CHEMICALS  
SURVEY NO.172/1, BALAJI INDUSTRIAL AREA, NEAR  
MALDHARI FATAK, KOTHARIYA, (GUJARAT)

Rajkot, Rajkot, Gujarat 360002

### **Manufacturer Premises :**

SURVEY NO.172/1, BALAJI INDUSTRIAL AREA, NEAR  
MALDHARI FATAK, KOTHARIYA, RAJKOT - 360002 (GUJARAT)

**Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".**